



A Generative Decision Support Architecture (GDSA)

Doug Lange Mike Cowen Mark St. John

15 January 2002

maintaining the data needed, and c including suggestions for reducing	ompleting and reviewing the collect this burden, to Washington Headqu ald be aware that notwithstanding ar	o average 1 hour per response, inclu- ion of information. Send comments arters Services, Directorate for Infor ny other provision of law, no person	regarding this burden estimate of mation Operations and Reports	or any other aspect of th , 1215 Jefferson Davis l	is collection of information, Highway, Suite 1204, Arlington	
. REPORT DATE 15 JAN 2002 2. REPO		2. REPORT TYPE			3. DATES COVERED 00-00-2002 to 00-00-2002	
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
A Generative Decision Support Architecture (GDSA)				5b. GRANT NUMBER		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Office of Naval Research, Cognitive and Neural Sciences, Code 342, Arlington, VA, 22203 8. PERFORMING ORGANIZATION REPORT NUMBER						
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited						
13. SUPPLEMENTARY NOTES ONR TC3 Workshop, Cognitive Elements of Effective Collaboration, 15-17 Jan 2002, San Diego, CA						
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFIC	17. LIMITATION OF	18. NUMBER	19a. NAME OF			
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	OF PAGES 17	RESPONSIBLE PERSON	


Report Documentation Page

Form Approved OMB No. 0704-0188



C⁴ISR Model








Decision Support Model












Cognitive Processor


Production Rule

Long-Term

Memory

Production







Objective



- Develop an agent generation architecture for decision support applications.
 - Improve the tie between cognitive task analysis and software development.
 - Lessen the time necessary for developing decision support software.
 - Improve the quality of decision support software
 - Provide the flexibility necessary to support NCW
- Provide a method to evaluate an agents contribution to decision support.



Problem/Deficiency Being Addressed



- Decision support requirements change rapidly in the operational war-fighting environment.
- Our current process for developing decision support software cannot meet the needs of the move towards NCW. Even current demands are stressing our capabilities.



Technical Approach




- Identification of cognitive task domain.
- Evaluate models of cognitive decision-making.
- Define a cognitive model that describes the environment.
- Translate the cognitive task model into a formal software model within a generative software architecture.
- Create a domain specific language (DSL).
- Domain design.
- Domain implementation.



Template Based Techniques








Generative Software Development








Partial Evaluation







$$[p]$$
 [in1, in2] = $[p_{in1}]$ in2














GOMS Models






```
Sethod for goal: edit the document
  Step 1. Get next unit task information from marked-up manuscript.
  Step 2. Decide: If no more unit tasks, then return with goal accomplished.
  Step 3. Accomplish goal: move to the unit task location.
  Step 4. Accomplish goal: perform the unit task.
  Step 5. Goto 1.
Selection rule set for goal: perform the unit task
  If the task is moving text, then
          accomplish goal: move text.
  If the task is deletion, then
          accomplish goal: delete text.
  If the task is copying, then
          accomplish goal: copy text.
   ... etc. ...
  Return with goal accomplished.
Sethod for goal: move to the unit task location
  Step 1. Get location of unit task from manuscript.
  Step 2. Decide: If unit task location on screen, return with goal
  Step 3. Use scroll bar to advance text.
   Step 4. Goto 2.
Method for goal: move text
  Step 1. Cut text
  Step 2. Paste text
```

Step 3. Verify correct text moved. Step 4. Return with goal accomplished.





Colored Petri Nets




Lu, A Colored Petri Net Model of Tactical Decision Making



Petri Nets for Code Generation






F. Kordon, I. Mounier, E. Paviot-Adet, D. Regep, "Formal verification of embedded distributed systems in a prototyping approach"











Domain Specific Language



- Based on Deterministic Timed Hierarchical Colored Petri Nets. Adds semantic content to the places, transitions, and edges relative to decision support agents.
 - Interactions with infrastructure
 - Use of sensors and actuators
 - Information item and list management strategies
 - Analysis steps
 - Result display
- Initial level is based on the level of reusable sensor and actuator modules and the level of abstraction of associated information objects.





Research Areas

- Cognitive model adaptation for decision strategy description for agent use and generation
 - Critical Information Requirements List
 - CIRL management criteria
 - Information analysis method
 - Result display
- Domain specific language for decision strategies
- Agent generation engine
- Sensor and Actuator reuse bases and semantic descriptions for selection
- User interface language for decision strategies
- Case-based reasoning support for decision strategy selection